

All Mesh Prep No. 25

Screen mesh preparation

All Mesh Prep No. 25 is a highly efficient screen mesh preparation suitable for improving the wetting properties of direct photoemulsions and the water transfer of indirect and direct stencil making films. **All Mesh Prep No. 25** neither attacks the mesh nor the screen frame and can be used on all mesh types. When using **All Mesh Prep No. 25**, a uniform water film is formed on the mesh after rinsing. **All Mesh Prep No. 25** can also be used as a cleaner for screens which are contaminated with dust or fuzz, but not with greasy products.

APPLICATION

Use **All Mesh Prep No. 25** immediately before making the stencil. At first, clean the mesh with a degreaser, then apply **All Mesh Prep No. 25** with a brush, sponge or coating trough onto both sides of the screen. Allow to react for a few minutes, then rinse with cold or lukewarm water, with the screen in vertical position. Rinse well until the water runs off without foam. The perfect, uniform water film is clearly visible. Indirect or water transferable stencil making films (capillary films) can easily be transferred onto the mesh. The screen must be dry before coating with direct photoemulsions or stencil-making films which are to be applied using transfer emulsions.

COLOUR	Brown, clear
CONSISTENCY	Liquid
HEALTH HAZARDS / ENVIRONMENTAL PROTECTION	Please follow information given in the safety data sheet. All Mesh Prep No. 25 is biodegradable and can be emptied into drains in usual working dilution.
STORAGE	1 year (at 20-25°C, in original container). Avoid temperatures exceeding 30°C. All Mesh Prep No. 25 contains a natural raw material which may separate or give a turbid appearance, especially after storage at elevated temperatures. However, this does not influence the performance of the product.

This data sheet is for your information. A legally binding assurance of the product's suitability for a specific purpose cannot be derived from it and no liability can be assumed for any potential damages that may occur. Our products are subject to continuous production and quality control and leave our company in perfect condition.

This product is intended solely for industrial applications and not for use by the end consumer. We recommend to our customers to always test the product themselves since only in this way – also after production – can the freedom from certain substances and the suitability for a particular purpose be verified. The user has to test the product for suitability for the intended application. We reserve the right to modify product specifications. Tests that are not part of the specifications of the product mentioned above have not been carried out.

All information applies only to the above-mentioned product obtained from Kissel + Wolf GmbH. It corresponds to our current state of knowledge, but is not a confirmation of a particular application and is not automatically replenished. All information is valid for a maximum of 12 months (annexes may be provided with their own date) or until legal changes are made in this time period. The recipient of our product is solely responsible for observing any possible property rights as well as existing laws and regulations. Property rights of third parties must be observed. Our terms and conditions of sale and delivery shall apply.

ULANO · Division of Kissel + Wolf GmbH · In den Ziegelwiesen 6 · 69168 Wiesloch · Germany · Tel: +49 6222 578-0 · Fax: +49 6222 578-100

ULANO Singapore Rep. Office · 16 New Industrial Rd. #05-07 · Hudson TechnoCentre · Singapore 536204 · Tel: +65 6451 7505 · Fax: +65 6451 7507

www.ulano.eu